HEADS UP CONCUSSION WAIVER

Please visit www.cdc.gov/concussion/HeadsUp/youth.html to read about the new Heads Up Concussion initiative

CONCUSSION DANGER SIGNS

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention if after a bump, blow, or jolt to the head or body s/he exhibits any of the following danger signs:

- One pupil larger than the other
- · Is drowsy or cannot be awakened
- · A headache that gets worse
- · Weakness, numbness, or decreased coordination
- · Repeated vomiting or nausea
- Slurred speech
- · Convulsions or seizures
- · Cannot recognize people or places
- · Becomes increasingly confused, restless, or agitated
- Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

WHAT SHOULD YOU DO IF YOU THINK YOUR ATHLETE HAS A CONCUSSION?

- If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says s/he is symptom-free and it's OK to return to play.
- 2. Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, and playing video games, may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.
- Remember: Concussions affect people differently.
 While most athletes with a concussion recover
 quickly and fully, some will have symptoms that last
 for days, or even weeks. A more serious concussion
 can last for months or longer.

WHY SHOULD AN ATHLETE REPORT THEIR SYMPTOMS?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, s/he is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brain. They can even be fatal.

CTUDENT ATULETE NAME DOINTED

STODENT-ATTICETE NAME PRINTED
STUDENT-ATHLETE NAME SIGNED
DATE
DATE
PARENT OR GUARDIAN NAME PRINTED
PARENT OR GUARDIAN NAME SIGNED
DATE

JOIN THE CONVERSATION _ www.facebook.com/CDCHeadsUp

HEADS UP

TO LEARN MORE GO TO >> WWW.CDC.GOV/CONCUSSION